



Alloy Casting

ALUMINUM CASTINGS













Toll Free (800) 527-1318

(972) 286-2368

Fax: (972) 557-4727

Section:

Greek Key Castings

<p>757 DF OLD 757F</p>  <p>NOT TO SCALE</p> <table border="0"> <tr> <td>HEIGHT 4 IN</td> <td>10.2 CM</td> </tr> <tr> <td>WIDTH 23 1/4 IN</td> <td>59.1 CM</td> </tr> <tr> <td>THICK 7/8 IN</td> <td>2.2 CM</td> </tr> <tr> <td>WEIGHT 1.7 LBS</td> <td>0.8 KGS</td> </tr> </table>	HEIGHT 4 IN	10.2 CM	WIDTH 23 1/4 IN	59.1 CM	THICK 7/8 IN	2.2 CM	WEIGHT 1.7 LBS	0.8 KGS	<p>751 DF OLD 751B</p>  <table border="0"> <tr> <td>HEIGHT 16 1/4 IN</td> <td>41.3 CM</td> </tr> <tr> <td>WIDTH 16 1/4 IN</td> <td>41.3 CM</td> </tr> <tr> <td>THICK 1 IN</td> <td>2.5 CM</td> </tr> <tr> <td>WEIGHT 2.9 LBS</td> <td>1.3 KGS</td> </tr> </table>	HEIGHT 16 1/4 IN	41.3 CM	WIDTH 16 1/4 IN	41.3 CM	THICK 1 IN	2.5 CM	WEIGHT 2.9 LBS	1.3 KGS	<p>755 DF</p>  <table border="0"> <tr> <td>HEIGHT 27 3/4 IN</td> <td>55.9 CM</td> </tr> <tr> <td>WIDTH 10 7/8 IN</td> <td>27.6 CM</td> </tr> <tr> <td>THICK 5/8 IN</td> <td>1.6 CM</td> </tr> <tr> <td>WEIGHT 4.0 LBS</td> <td>1.8 KGS</td> </tr> </table>	HEIGHT 27 3/4 IN	55.9 CM	WIDTH 10 7/8 IN	27.6 CM	THICK 5/8 IN	1.6 CM	WEIGHT 4.0 LBS	1.8 KGS	<p>756 DF OLD 756B</p>  <table border="0"> <tr> <td>HEIGHT 18 IN</td> <td>45.7 CM</td> </tr> <tr> <td>WIDTH 18 IN</td> <td>45.7 CM</td> </tr> <tr> <td>THICK 7/8 IN</td> <td>2.2 CM</td> </tr> <tr> <td>WEIGHT 2.8 LBS</td> <td>1.2 KGS</td> </tr> </table>	HEIGHT 18 IN	45.7 CM	WIDTH 18 IN	45.7 CM	THICK 7/8 IN	2.2 CM	WEIGHT 2.8 LBS	1.2 KGS
HEIGHT 4 IN	10.2 CM																																		
WIDTH 23 1/4 IN	59.1 CM																																		
THICK 7/8 IN	2.2 CM																																		
WEIGHT 1.7 LBS	0.8 KGS																																		
HEIGHT 16 1/4 IN	41.3 CM																																		
WIDTH 16 1/4 IN	41.3 CM																																		
THICK 1 IN	2.5 CM																																		
WEIGHT 2.9 LBS	1.3 KGS																																		
HEIGHT 27 3/4 IN	55.9 CM																																		
WIDTH 10 7/8 IN	27.6 CM																																		
THICK 5/8 IN	1.6 CM																																		
WEIGHT 4.0 LBS	1.8 KGS																																		
HEIGHT 18 IN	45.7 CM																																		
WIDTH 18 IN	45.7 CM																																		
THICK 7/8 IN	2.2 CM																																		
WEIGHT 2.8 LBS	1.2 KGS																																		
<p>760 DF</p>  <table border="0"> <tr> <td>HEIGHT 16 5/8 IN</td> <td>42.2 CM</td> </tr> <tr> <td>WIDTH 10 1/8 IN</td> <td>25.7 CM</td> </tr> <tr> <td>THICK 5/8 IN</td> <td>1.6 CM</td> </tr> <tr> <td>WEIGHT 2.0 LBS</td> <td>0.9 KGS</td> </tr> </table>	HEIGHT 16 5/8 IN	42.2 CM	WIDTH 10 1/8 IN	25.7 CM	THICK 5/8 IN	1.6 CM	WEIGHT 2.0 LBS	0.9 KGS	<p>761 SF</p>  <table border="0"> <tr> <td>HEIGHT 20 3/4 IN</td> <td>52.7 CM</td> </tr> <tr> <td>WIDTH 8 1/8 IN</td> <td>29.5 CM</td> </tr> <tr> <td>THICK 1/2 IN</td> <td>1.6 CM</td> </tr> <tr> <td>WEIGHT 2.0 LBS</td> <td>0.9 KGS</td> </tr> </table>	HEIGHT 20 3/4 IN	52.7 CM	WIDTH 8 1/8 IN	29.5 CM	THICK 1/2 IN	1.6 CM	WEIGHT 2.0 LBS	0.9 KGS	<p>762 DF</p>  <table border="0"> <tr> <td>HEIGHT 9 IN</td> <td>22.9 CM</td> </tr> <tr> <td>WIDTH 11 5/8 IN</td> <td>29.5 CM</td> </tr> <tr> <td>THICK 5/8 IN</td> <td>1.6 CM</td> </tr> <tr> <td>WEIGHT 0.8 LBS</td> <td>0.4 KGS</td> </tr> </table>	HEIGHT 9 IN	22.9 CM	WIDTH 11 5/8 IN	29.5 CM	THICK 5/8 IN	1.6 CM	WEIGHT 0.8 LBS	0.4 KGS	<p>763 SF</p>  <table border="0"> <tr> <td>HEIGHT 14 3/4 IN</td> <td>37.5 CM</td> </tr> <tr> <td>WIDTH 5 IN</td> <td>12.7 CM</td> </tr> <tr> <td>THICK 5/8 IN</td> <td>1.6 CM</td> </tr> <tr> <td>WEIGHT 1.8 LBS</td> <td>0.8 KGS</td> </tr> </table>	HEIGHT 14 3/4 IN	37.5 CM	WIDTH 5 IN	12.7 CM	THICK 5/8 IN	1.6 CM	WEIGHT 1.8 LBS	0.8 KGS
HEIGHT 16 5/8 IN	42.2 CM																																		
WIDTH 10 1/8 IN	25.7 CM																																		
THICK 5/8 IN	1.6 CM																																		
WEIGHT 2.0 LBS	0.9 KGS																																		
HEIGHT 20 3/4 IN	52.7 CM																																		
WIDTH 8 1/8 IN	29.5 CM																																		
THICK 1/2 IN	1.6 CM																																		
WEIGHT 2.0 LBS	0.9 KGS																																		
HEIGHT 9 IN	22.9 CM																																		
WIDTH 11 5/8 IN	29.5 CM																																		
THICK 5/8 IN	1.6 CM																																		
WEIGHT 0.8 LBS	0.4 KGS																																		
HEIGHT 14 3/4 IN	37.5 CM																																		
WIDTH 5 IN	12.7 CM																																		
THICK 5/8 IN	1.6 CM																																		
WEIGHT 1.8 LBS	0.8 KGS																																		
<p>764 DF</p>  <table border="0"> <tr> <td>HEIGHT 15 1/8 IN</td> <td>38.4 CM</td> </tr> <tr> <td>WIDTH 3 1/8 IN</td> <td>7.9 CM</td> </tr> <tr> <td>THICK 1/2 IN</td> <td>1.3 CM</td> </tr> <tr> <td>WEIGHT 0.8 LBS</td> <td>0.4 KGS</td> </tr> </table>	HEIGHT 15 1/8 IN	38.4 CM	WIDTH 3 1/8 IN	7.9 CM	THICK 1/2 IN	1.3 CM	WEIGHT 0.8 LBS	0.4 KGS	<p>765 DF NEW</p>  <table border="0"> <tr> <td>HEIGHT 12 5/8 IN</td> <td>32.4 CM</td> </tr> <tr> <td>WIDTH 3 IN</td> <td>8.9 CM</td> </tr> <tr> <td>THICK 1/2 IN</td> <td>1.3 CM</td> </tr> <tr> <td>WEIGHT 0.3 LBS</td> <td>0.1 KGS</td> </tr> </table>	HEIGHT 12 5/8 IN	32.4 CM	WIDTH 3 IN	8.9 CM	THICK 1/2 IN	1.3 CM	WEIGHT 0.3 LBS	0.1 KGS	<p>1765 DF NEW</p>  <table border="0"> <tr> <td>HEIGHT 12 5/8 IN</td> <td>32.4 CM</td> </tr> <tr> <td>WIDTH 3 IN</td> <td>8.9 CM</td> </tr> <tr> <td>THICK 1/2 IN</td> <td>1.3 CM</td> </tr> <tr> <td>WEIGHT 0.3 LBS</td> <td>0.1 KGS</td> </tr> </table>	HEIGHT 12 5/8 IN	32.4 CM	WIDTH 3 IN	8.9 CM	THICK 1/2 IN	1.3 CM	WEIGHT 0.3 LBS	0.1 KGS	<p>766 DF NEW</p>  <table border="0"> <tr> <td>HEIGHT 17 IN</td> <td>43.2 CM</td> </tr> <tr> <td>WIDTH 4 IN</td> <td>10.2 CM</td> </tr> <tr> <td>THICK 1/4 IN</td> <td>0.6 CM</td> </tr> <tr> <td>WEIGHT 1.6 LBS</td> <td>0.3 KGS</td> </tr> </table>	HEIGHT 17 IN	43.2 CM	WIDTH 4 IN	10.2 CM	THICK 1/4 IN	0.6 CM	WEIGHT 1.6 LBS	0.3 KGS
HEIGHT 15 1/8 IN	38.4 CM																																		
WIDTH 3 1/8 IN	7.9 CM																																		
THICK 1/2 IN	1.3 CM																																		
WEIGHT 0.8 LBS	0.4 KGS																																		
HEIGHT 12 5/8 IN	32.4 CM																																		
WIDTH 3 IN	8.9 CM																																		
THICK 1/2 IN	1.3 CM																																		
WEIGHT 0.3 LBS	0.1 KGS																																		
HEIGHT 12 5/8 IN	32.4 CM																																		
WIDTH 3 IN	8.9 CM																																		
THICK 1/2 IN	1.3 CM																																		
WEIGHT 0.3 LBS	0.1 KGS																																		
HEIGHT 17 IN	43.2 CM																																		
WIDTH 4 IN	10.2 CM																																		
THICK 1/4 IN	0.6 CM																																		
WEIGHT 1.6 LBS	0.3 KGS																																		

REVISION DATE: 01/19/95

NOTE: SEE NUMBER 750 ON PAGE 34.

SCALE: 1 INCH = 1 FOOT UNLESS NOTED



ALLOY CASTING

Aluminum

Toll Free (800) 527-1318

(972) 286-2368

Fax (972) 557-4727

NEW ASSORTED DESIGNS

DOUBLE FACE

922

HEIGHT 29 5/8"
WIDTH: 9 3/8"
THICK: 1 1/4"
WEIGHT: 8.7 lbs

FLAT BACK

758

HEIGHT 27"
WIDTH: 6 1/2"
THICK: 5/8"
WEIGHT: 4.0 lbs

DOUBLE FACE

1938

HEIGHT 39"
WIDTH: 9 3/4"
THICK: 1 1/2"
WEIGHT: 5.4 lbs

DOUBLE FACE

612

1/2" SLOT

HEIGHT 16 1/2"
WIDTH: 5"
THICK: 7/8"
WEIGHT: 1.1 lbs

INDIVIDUAL OR 3 PIECE SET

FLAT BACK

9401

HEIGHT 30 1/8"
WIDTH: 15 1/2"
THICK: 5/8"
WEIGHT: 7.8 lbs

FLAT BACK

9402

HEIGHT 30 3/4"
WIDTH: 14 1/2"
THICK: 5/8"
WEIGHT: 4.7 lbs

FLAT BACK

9403

HEIGHT 29 3/4"
WIDTH: 15 1/2"
THICK: 5/8"
WEIGHT: 8.3 lbs

FLAT BACK

9404

HEIGHT 30 1/8"
WIDTH: 15 1/2"
THICK: 5/8"
WEIGHT: 7.8 lbs

2 VIEWS

DOUBLE FACE

9318

OPENING OVAL 10" BY 18"W
BY 3 3/4" BELOW SEAT

HEIGHT 14 1/2"
WIDTH: 22 1/2"
THICK: 4 1/2"
WEIGHT: 11.4 lbs

DOUBLE FACE

9318 SIDE

OPENING OVAL 10" BY 18"W
BY 3 3/4" BELOW SEAT

HEIGHT 14 1/2"
WIDTH: 22 1/2"
THICK: 4 1/2"
WEIGHT: 11.4 lbs

DOUBLE FACE

9718

OPENING 7 3/4" BY 15 1/2"W
BY 1 1/4" BELOW SEAT

HEIGHT 9 5/8"
WIDTH: 17"
THICK: 1 7/8"
WEIGHT: 5.1 lbs

DOUBLE FACE

8229

3/4" SQUARE COLLAR

HEIGHT 7 1/4"
WIDTH: 2 1/4"
THICK: 2 1/4"
WEIGHT: 1.10 lbs

Section:

Toll Free (800) 527-1318

Greek Key Castings

(972) 286-2368

Fax: (972) 557-4727



ALUMINUM CASTINGS

750 SBO



GREEK KEY

HEIGHT	28	IN	71.1	CM
WIDTH	11	IN	27.9	CM
THICK	1	IN	2.5	CM
WEIGHT	5.0	LBS	2.3	KGS

752 DF
NEW



HEIGHT	9	IN	22.9	CM
WIDTH	5 1/8	IN	11.7	CM
THICK	1/2	IN	1.3	CM
WEIGHT	0.6	LBS	0.3	KGS

759 DF
NEW



HEIGHT	13 1/4	IN	33.7	CM
WIDTH	5 1/8	IN	15.2	CM
THICK	1/2	IN	1.3	CM
WEIGHT	1.3	LBS	0.6	KGS

767 DF
NEW



HEIGHT	24 1/4	IN	61.6	CM
WIDTH	10 1/2	IN	26.7	CM
THICK	5/8	IN	1.6	CM
WEIGHT	4.7	LBS	2.1	KGS

REVISION DATE: 01/19/95

SCALE: 1 INCH = 1 FOOT UNLESS NOTED